



Swivel chair UPH/P low	Swivel chair UPH/P medium	Swivel chair UPH/P high
SEGLA SWIVEL CHAIR LOW UPH/P	SEGLA SWIVEL CHAIR MEDIUM UPH/P	SEGLA SWIVEL CHAIR HIGH UPH/P

Basic price (EUR) according to upholstery price group			
0	439	454	467
1	447	462	474
2	462	474	489
3	482	494	510
4	489	502	517
5	517	530	545

Mechanism							
FS	Synchronous	—			•	•	•
FST					+38	+38	+38
TAT7	Asynchronous	Seat depth adjustment			+18	+18	+18
SA2T7	Synchronous, with automatic weight adjustment				+65	+65	+65
Backrest finish							
BA-⑤	Upholstered, with cover				•	•	•
Seat finish							
SE-⑤	Upholstery				•	•	•
Armrests							
None					•	•	•
	Type	Bar	Structure	Pad			
R74	2D	Black polyamide	Black polyamide	Black polyamide (PA)	+48	+48	+48
R35K3	3D			Black polyurethane (PU)	+120	+120	+120
R35K3-SB2	4D	Steel and black polyamide		+141	+141	+141	
Gas lift							
GL-STD	Standard				•	•	•
GL-R	Higher				○	○	○
Base							
TS25	∅ 710 mm, five-star		Black polyamide		•	•	•
TS34	∅ 711 mm, five-star				+28	+28	+28
ST61-POL/BL					Polished aluminium with elements powder-coated in black		+108

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

To complete chair configuration select options on next pages →

- Available as standard (included in basic price)
- Available as an option (included in basic price)

PRICE GROUP 0: Basic, Imitation Leather, Micro
 PRICE GROUP 1: Bondai, Era, Lucia, Oban, Oflum, Sempre/Sempre Melange
 PRICE GROUP 2: Cura, Rivet, Valencia, Xtreme
 PRICE GROUP 3: Silvertex, Step/Step Melange

PRICE GROUP 4: Blazer, Main Line Flax, skai Parotega, Synergy
 PRICE GROUP 5: Remix 3

		SEGLA SWIVEL CHAIR LOW UPH/P	SEGLA SWIVEL CHAIR MEDIUM UPH/P	SEGLA SWIVEL CHAIR HIGH UPH/P
Castors				
ESH60	Ø 60 mm, black	for soft floors	●	●
ESHH60		for hard floors	○	○
Foam				
FSTD	Standard		●	●
FFR2	Flame retardant		+10	+10
Assembly				
PACK-UA	Unassembled, cardboard packaging		●	●
PACK-A2	Partially assembled, cardboard packaging (dimensions of cardboards suitable for courier delivery)		○	○
PACK-ASM	Assembled, cardboard packaging		○	○
Wood and wood-based materials				
FSC	Raw material from certified forests, FSC certificate – authorized companies		●	●
Sample order	SEGLA SWIVEL CHAIR HIGH UPH/P (FS BA-LDS17 SE-LDS17 R74 GL-STD TS25 ESH60 FSTD PACK-UA FSC)			

- Available as standard (included in basic price)
- Available as an option (included in basic price)

1. Weight/Dimensions



SEGLA SWIVEL CHAIR LOW UPH/P



SEGLA SWIVEL CHAIR MEDIUM UPH/P



SEGLA SWIVEL CHAIR HIGH UPH/P



Model	Dimensions (mm)										Weight (kg)
	A	B	C	D	E	F	G	H	J	L	
SEGLA SWIVEL CHAIR LOW UPH/P FS GL-STD TS25 ESH60/ESHH60	410-540	430	415	470	805-1020	390	405	410-485	710	644	14,6
SEGLA SWIVEL CHAIR LOW UPH/P FST GL-STD TS25 ESH60/ESHH60	410-540	410-460	415	470	805-1020	390	405	410-485	710	644	15,4
SEGLA SWIVEL CHAIR LOW UPH/P SA2T7 GL-STD TS25 ESH60/ESHH60	400-530	390-460	415	470	795-1010	390	405	410-485	710	644	14,9
SEGLA SWIVEL CHAIR LOW UPH/P TAT7 GL-STD TS25 ESH60/ESHH60	400-530	400-470	415	470	815-1030	390	405	430-500	710	644	15
SEGLA SWIVEL CHAIR LOW UPH/P FS GL-R TS25 ESH60/ESHH60	445-565	430	415	470	840-1045	390	405	410-485	710	644	14,6
SEGLA SWIVEL CHAIR LOW UPH/P FST GL-R TS25 ESH60/ESHH60	445-565	410-460	415	470	840-1045	390	405	410-485	710	644	15,4
SEGLA SWIVEL CHAIR LOW UPH/P SA2T7 GL-R TS25 ESH60/ESHH60	435-555	390-460	415	470	830-1035	390	405	410-485	710	644	14,9
SEGLA SWIVEL CHAIR LOW UPH/P TAT7 GL-R TS25 ESH60/ESHH60	435-555	400-470	415	470	850-1055	390	405	430-500	710	644	15
SEGLA SWIVEL CHAIR LOW UPH/P FS GL-STD TS34 ESH60/ESHH60	405-535	430	415	470	800-1015	390	405	410-485	711	644	14,6
SEGLA SWIVEL CHAIR LOW UPH/P FST GL-STD TS34 ESH60/ESHH60	405-535	410-460	415	470	800-1015	390	405	410-485	711	644	15,4
SEGLA SWIVEL CHAIR LOW UPH/P SA2T7 GL-STD TS34 ESH60/ESHH60	395-525	390-460	415	470	790-1005	390	405	410-485	711	644	14,9
SEGLA SWIVEL CHAIR LOW UPH/P TAT7 GL-STD TS34 ESH60/ESHH60	395-525	400-470	415	470	810-1025	390	405	430-500	711	644	15
SEGLA SWIVEL CHAIR LOW UPH/P FS GL-R TS34 ESH60/ESHH60	465-585	430	415	470	860-1065	390	405	410-485	711	644	14,6
SEGLA SWIVEL CHAIR LOW UPH/P FST GL-R TS34 ESH60/ESHH60	465-585	410-460	415	470	860-1065	390	405	410-485	711	644	15,4
SEGLA SWIVEL CHAIR LOW UPH/P SA2T7 GL-R TS34 ESH60/ESHH60	455-575	390-460	415	470	850-1055	390	405	410-485	711	644	14,9
SEGLA SWIVEL CHAIR LOW UPH/P TAT7 GL-R TS34 ESH60/ESHH60	455-575	400-470	415	470	870-1075	390	405	430-500	711	644	15
SEGLA SWIVEL CHAIR LOW UPH/P FS GL-STD ST61 ESH60/ESHH60	405-535	430	415	470	800-1015	390	405	410-485	711	644	14,8
SEGLA SWIVEL CHAIR LOW UPH/P FST GL-STD ST61 ESH60/ESHH60	405-535	410-460	415	470	800-1015	390	405	410-485	711	644	15,6
SEGLA SWIVEL CHAIR LOW UPH/P SA2T7 GL-STD ST61 ESH60/ESHH60	395-525	390-460	415	470	790-1005	390	405	410-485	711	644	15,1
SEGLA SWIVEL CHAIR LOW UPH/P TAT7 GL-STD ST61 ESH60/ESHH60	395-525	400-470	415	470	810-1025	390	405	430-500	711	644	15,2
SEGLA SWIVEL CHAIR LOW UPH/P FS GL-R ST61 ESH60/ESHH60	465-585	430	415	470	860-1065	390	405	410-485	711	644	14,8
SEGLA SWIVEL CHAIR LOW UPH/P FST GL-R ST61 ESH60/ESHH60	465-585	410-460	415	470	860-1065	390	405	410-485	711	644	15,6

- A – Seat height
- B – Seat depth
- C – Seat surface depth
- D – Seat width

- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Backrest height

- J – Base diameter
- L – Overall depth



Model	Dimensions (mm)										Weight (kg)
	A	B	C	D	E	F	G	H	J	L	
SEGLA SWIVEL CHAIR LOW UPH/P SA2T7 GL-R ST61 ESH60/ESHH60	455-575	390-460	415	470	850-1055	390	405	410-485	711	644	15,1
SEGLA SWIVEL CHAIR LOW UPH/P TAT7 GL-R ST61 ESH60/ESHH60	455-575	400-470	415	470	870-1075	390	405	430-500	711	644	15,2
SEGLA SWIVEL CHAIR MEDIUM UPH/P FS GL-STD TS25 ESH60/ESHH60	410-540	445	440	510	905-1120	420	495	510-585	710	644	15
SEGLA SWIVEL CHAIR MEDIUM UPH/P FST GL-STD TS25 ESH60/ESHH60	410-540	425-475	440	510	905-1120	420	495	510-585	710	644	15,8
SEGLA SWIVEL CHAIR MEDIUM UPH/P SA2T7 GL-STD TS25 ESH60/ESHH60	400-530	410-480	440	510	895-1110	420	495	510-585	710	644	15,3
SEGLA SWIVEL CHAIR MEDIUM UPH/P TAT7 GL-STD TS25 ESH60/ESHH60	400-530	420-490	440	510	915-1130	420	495	530-600	710	644	15,4
SEGLA SWIVEL CHAIR MEDIUM UPH/P FS GL-R TS25 ESH60/ESHH60	445-565	445	440	510	940-1145	420	495	510-585	710	644	15
SEGLA SWIVEL CHAIR MEDIUM UPH/P FST GL-R TS25 ESH60/ESHH60	445-565	425-475	440	510	940-1145	420	495	510-585	710	644	15,8
SEGLA SWIVEL CHAIR MEDIUM UPH/P SA2T7 GL-R TS25 ESH60/ESHH60	435-555	410-480	440	510	930-1135	420	495	510-585	710	644	15,3
SEGLA SWIVEL CHAIR MEDIUM UPH/P TAT7 GL-R TS25 ESH60/ESHH60	435-555	420-490	440	510	950-1155	420	495	530-600	710	644	15,4
SEGLA SWIVEL CHAIR MEDIUM UPH/P FS GL-STD TS34 ESH60/ESHH60	405-535	445	440	510	900-1115	420	495	510-585	711	644	15
SEGLA SWIVEL CHAIR MEDIUM UPH/P FST GL-STD TS34 ESH60/ESHH60	405-535	425-475	440	510	900-1115	420	495	510-585	711	644	15,8
SEGLA SWIVEL CHAIR MEDIUM UPH/P SA2T7 GL-STD TS34 ESH60/ESHH60	395-525	410-480	440	510	890-1105	420	495	510-585	711	644	15,3
SEGLA SWIVEL CHAIR MEDIUM UPH/P TAT7 GL-STD TS34 ESH60/ESHH60	395-525	420-490	440	510	910-1125	420	495	530-600	711	644	15,4
SEGLA SWIVEL CHAIR MEDIUM UPH/P FS GL-R TS34 ESH60/ESHH60	465-585	445	440	510	960-1165	420	495	510-585	711	644	15
SEGLA SWIVEL CHAIR MEDIUM UPH/P FST GL-R TS34 ESH60/ESHH60	465-585	425-475	440	510	960-1165	420	495	510-585	711	644	15,8
SEGLA SWIVEL CHAIR MEDIUM UPH/P SA2T7 GL-R TS34 ESH60/ESHH60	455-575	410-480	440	510	950-1155	420	495	510-585	711	644	15,3
SEGLA SWIVEL CHAIR MEDIUM UPH/P TAT7 GL-R TS34 ESH60/ESHH60	455-575	420-490	440	510	970-1175	420	495	530-600	711	644	15,4
SEGLA SWIVEL CHAIR MEDIUM UPH/P FS GL-STD ST61 ESH60/ESHH60	405-535	445	440	510	900-1115	420	495	510-585	711	644	15,2
SEGLA SWIVEL CHAIR MEDIUM UPH/P FST GL-STD ST61 ESH60/ESHH60	405-535	425-475	440	510	900-1115	420	495	510-585	711	644	16
SEGLA SWIVEL CHAIR MEDIUM UPH/P SA2T7 GL-STD ST61 ESH60/ESHH60	395-525	410-480	440	510	890-1105	420	495	510-585	711	644	15,5
SEGLA SWIVEL CHAIR MEDIUM UPH/P TAT7 GL-STD ST61 ESH60/ESHH60	395-525	420-490	440	510	910-1125	420	495	530-600	711	644	15,6
SEGLA SWIVEL CHAIR MEDIUM UPH/P FS GL-R ST61 ESH60/ESHH60	465-585	445	440	510	960-1165	420	495	510-585	711	644	15,2
SEGLA SWIVEL CHAIR MEDIUM UPH/P FST GL-R ST61 ESH60/ESHH60	465-585	425-475	440	510	960-1165	420	495	510-585	711	644	16
SEGLA SWIVEL CHAIR MEDIUM UPH/P SA2T7 GL-R ST61 ESH60/ESHH60	455-575	410-480	440	510	950-1155	420	495	510-585	711	644	15,5
SEGLA SWIVEL CHAIR MEDIUM UPH/P TAT7 GL-R ST61 ESH60/ESHH60	455-575	420-490	440	510	970-1175	420	495	530-600	711	644	15,6
SEGLA SWIVEL CHAIR HIGH UPH/P FS GL-STD TS34 ESH60/ESHH60	405-535	445	440	510	970-1185	480	570	580-655	711	644	15,4
SEGLA SWIVEL CHAIR HIGH UPH/P FST GL-STD TS34 ESH60/ESHH60	405-535	425-475	440	510	970-1185	480	570	580-655	711	644	16,2

- A – Seat height
- B – Seat depth
- C – Seat surface depth
- D – Seat width

- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Backrest height

- J – Base diameter
- L – Overall depth



Model	Dimensions (mm)										Weight (kg)
	A	B	C	D	E	F	G	H	J	L	
SEGLA SWIVEL CHAIR HIGH UPH/P SA2T7 GL-STD TS34 ESH60/ESHH60	395-525	410-480	440	510	960-1175	480	570	580-655	711	644	15,7
SEGLA SWIVEL CHAIR HIGH UPH/P TAT7 GL-STD TS34 ESH60/ESHH60	395-525	420-490	440	510	980-1195	480	570	600-670	711	644	15,8
SEGLA SWIVEL CHAIR HIGH UPH/P FS GL-R TS34 ESH60/ESHH60	465-585	445	440	510	1030-1235	480	570	580-655	711	644	15,4
SEGLA SWIVEL CHAIR HIGH UPH/P FST GL-R TS34 ESH60/ESHH60	465-585	425-475	440	510	1030-1235	480	570	580-655	711	644	16,2
SEGLA SWIVEL CHAIR HIGH UPH/P SA2T7 GL-R TS34 ESH60/ESHH60	455-575	410-480	440	510	1020-1225	480	570	580-655	711	644	15,7
SEGLA SWIVEL CHAIR HIGH UPH/P TAT7 GL-R TS34 ESH60/ESHH60	455-575	420-490	440	510	1040-1245	480	570	600-670	711	644	15,8
SEGLA SWIVEL CHAIR HIGH UPH/P FS GL-STD ST61 ESH60/ESHH60	405-535	445	440	510	970-1185	480	570	580-655	711	644	15,6
SEGLA SWIVEL CHAIR HIGH UPH/P FST GL-STD ST61 ESH60/ESHH60	405-535	425-475	440	510	970-1185	480	570	580-655	711	644	16,4
SEGLA SWIVEL CHAIR HIGH UPH/P SA2T7 GL-STD ST61 ESH60/ESHH60	395-525	410-480	440	510	960-1175	480	570	580-655	711	644	15,9
SEGLA SWIVEL CHAIR HIGH UPH/P TAT7 GL-STD ST61 ESH60/ESHH60	395-525	420-490	440	510	980-1195	480	570	600-670	711	644	16
SEGLA SWIVEL CHAIR HIGH UPH/P FS GL-R ST61 ESH60/ESHH60	465-585	445	440	510	1030-1235	480	570	580-655	711	644	15,6
SEGLA SWIVEL CHAIR HIGH UPH/P FST GL-R ST61 ESH60/ESHH60	465-585	425-475	440	510	1030-1235	480	570	580-655	711	644	16,4
SEGLA SWIVEL CHAIR HIGH UPH/P SA2T7 GL-R ST61 ESH60/ESHH60	455-575	410-480	440	510	1020-1225	480	570	580-655	711	644	15,9
SEGLA SWIVEL CHAIR HIGH UPH/P TAT7 GL-R ST61 ESH60/ESHH60	455-575	420-490	440	510	1040-1245	480	570	600-670	711	644	16

- A – Seat height
- B – Seat depth
- C – Seat surface depth
- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Backrest height
- J – Base diameter
- L – Overall depth



Armrests	Dimensions (mm)					Weight (kg)
	Z	Y	X	W	V	
R74	205-280	230	75	505	655	1,6
R35K3	220-300	230	90	490	670	1,8
R35K3-SB2	210-290	230	90	460-510	630-680	2,65

- Z – Armrest height
- Y – Armrest length
- X – Armrest width
- W – Internal width between armrests
- V – External width between armrests

2. Materials/Versions

2.1. Base

Bases:

- Ø 710 mm - five-star made of black polyamide (TS25),
- Ø 711 mm - five-star made of black polyamide (TS34),
- Ø 711 mm - five-star made of polished aluminium with elements powder-coated in black (ST61-POL/BL).

2.2. Castors

Ø 60 mm black plastic self-braking castors for soft floors (ESH60) as standard, or hard floors (ESHH60) as an option.

2.3. Mechanisms

FS synchronous mechanism – functions:

- free-floating – synchronous backrest and seat tilt,
- backrest tilt angle of 20° synchronized with seat tilt angle of 11°,
- backrest multi-lock in 5 positions,
- backrest tilt force adjustment with a knob,
- seat depth adjustment 50 mm – as an option (FST),
- Anti-Shock – a feature that controls chair backrest to avoid hitting user's back after releasing the lock,
- smooth height adjustment of chair with pneumatic gas lift

SA2T7 self-tension synchronous mechanism with automatic weight adjustment – functions:

- free-floating – synchronous backrest and seat tilt,
- backrest tilt angle of 33° synchronised with seat tilt angle of 7°,
- backrest multi-lock in 4 positions,
- automatic backrest tilt force adjustment to user's weight with possibility of additional adjustment in 3 positions,
- seat depth adjustment 70 mm, multi-lock in 7 positions,
- Anti-Shock – a feature that controls chair backrest to avoid hitting user's back, after releasing the lock,
- smooth height adjustment of chair with pneumatic gas lift.

TAT7 asynchronous mechanism – functions:

- free-floating – backrest tilt,
- possible independent locking of backrest and seat in selected position,
- backrest tilt angle in range of -10° up to +20°,
- seat tilt angle in range of -3° up to +11°,
- 70 mm up & down backrest height adjustment,
- backrest tilt force adjustment with a knob,
- 70 mm seat depth adjustment,
- smooth height adjustment of chair with pneumatic gas lift.

2.4. Seat, backrest

As standard upholstery type and colour are the same for each upholstered element

Seat

Structure 9-layer plywood, thickness 10.5 mm, covered with cut foam, thickness 40 mm and density 40 kg/m³ as standard or flame retardant cut foam, thickness 40 mm and density 40 kg/m³ as an option.

Backrest

Each backrest type is equipped with 70 mm height adjustment as standard with multi-lock in 13 positions.

Backrest connector – made of a flat steel plate, thickness 8 mm.

Upholstered backrest with cover (UPH/P) – structure made of polypropylene (PP) covered with cut foam, thickness 40 mm and density 25 kg/m³ as standard or flame retardant cut foam, thickness 40 mm and density 30 kg/m³ as an option.

Backrest cover made of black polypropylene (PP).

3. Armrests

2D armrests – made of black glass fibre reinforced polyamide (PA + GF). Adjustment range:

- height 85 mm,
- forward/backward movement of the pad 54 mm.

3D armrests – made of black glass fibre reinforced polyamide (PA + GF) with black soft polyurethane (PU) pads.

Adjustment range:

- height 85 mm,
- forward/backward movement of the pad 50 mm,
- pad rotation ± 25°.

4D armrests – made of steel and black glass fibre reinforced polyamide (PA + GF) with black soft polyurethane (PU) pads.

Adjustment range:

- height 85 mm,
- width 50 mm (in total)
- forward/backward movement of the pad 50 mm,
- pad rotation ± 25°.

4. Assembly and packaging

Unassembled, cardboard packaging (PACK-UA), 1 pc. per box, 10 pcs on pallet – as standard.

The box contains 5 separate elements:

- seat with assembled mechanism,
- backrest,
- armrests,
- base with assembled castors,
- pneumatic gas lift.

Partially assembled, cardboard packaging (dimensions suitable for courier delivery)

(PACK-A2), 1 pc. per box, 12 pcs on pallet – as an option.

The cardboard contains elements:

- seat with assembled backrest and mechanism,
- armrests,
- base,
- castors,
- pneumatic gas lift.

Assembled, cardboard packaging (PACK-ASM), 1 pc. per box, 4 pcs on pallet – as an option.

5. Technical regulations, approvals and quality marks (pending)

INT Certificate - 110 kg - norm EN 1335-1 (type A), EN 1335-2
Möbelfakta Certificate