

Mollen armchair

Mollen sofa 2U

Mollen sofa 3U

MOLLEN ARMCHAIR

MOLLEN SOFA 2U

MOLLEN SOFA 3U

Basic price (EUR) according to price group of upholsteries

	2	3	4	5	6
	1795	1920	1975	2169	3095
	2992	3198	3288	3542	5143
	3745	3865	3978	4272	6197

	Shell finish				
BSA-⑤	Upholstery		•	•	•
	Seat cushion finish				
SE-⑤	Upholstery	upholstery type is the same as for backrest, colour may be different	•	•	•
	Base finish				
BC-③	Powder-coated steel		•	•	•
	Media				
	None				
A-YJ001-⑧-B	Media port Phase (position A) 1 × power socket 1 × double USB charger (type A + C)	Black colour	—	+ 645	+ 645
B-YJ001-⑧-B	Media port Phase (position B) 1 × power socket 1 × double USB charger (type A + C)				
	Glides				
GD	Plastic		•	•	•
GDF	Plastic with felt		○	○	○
	Foam				
FFR2	Flame retardant		•	•	•
	Wood and wood-based materials				
FSC	Raw material – EU timber regulation, from certified forests, FSC certificate – authorized companies		•	•	•
	Assembly				
PACK-ASM	Assembled, cardboard packaging		•	•	•
Sample order	MOLLEN SOFA 2U (BSA-CUR61259 SE-CUR64195 BC-BL GD FFR2 FSC PACK-ASM)				

③ – Please specify metal colour code – [see finishes](#)⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

⑧ – Please specify media port standard: CH13, FR, GB, GE

• Available as standard (included in basic price)

○ Available as an option (included in basic price)

PRICE GROUP 2: Boogie, Cura, Valecia

PRICE GROUP 3: Chili, Silvertex, Step/Step Melange

PRICE GROUP 4: Blazer, Main Line Flax, skai Parotega, Synergy

PRICE GROUP 5: Fine Leather (SD), Fine Leather (LE)

PRICE GROUP 6: Nappa Leather

Mollen



W•••	Table top width (mm)	600	900
D•••	Table top depth (mm)	600	400

		Basic price (EUR) according to table top finish	
	Melamine (MFC)	301	311
	Fenix NTM®	527	545

	Table top height		
H350	350 mm	•	•
H450	450 mm	○	○

	Table top finish			
①	Melamine (MFC)	2 mm – glue technology (matching table top colour)	•	•
	Fenix NTM®	1 mm – laser (matching table top colour)	•	•

	Base finish		
BC-③	Powder-coated steel	•	•
	Glides		
GD	Plastic	•	•
GDF	Plastic with felt	○	○

	Wood and wood-based materials		
EUTR	Raw material – EU timber regulation	•	•

	Assembly		
PACK-ASM	Assembled, cardboard packaging	•	•

Sample order	MOLLEN TABLE RCR (W900 D400 H350 BC-BL GD EUTR PACK-ASM)		
--------------	--	--	--

① – Please specify table top colour code – [see finishes](#)

③ – Please specify metal colour code – [see finishes](#)


• Available as standard (included in basic price)

○ Available as an option (included in basic price)


Technical description

1. Dimensions/Weight


1.1. Armchair and sofas



MOLLEN ARMCHAIR



MOLLEN SOFA 2U



MOLLEN SOFA 3U



Model	Dimensions (mm)								Weight (kg)
	A	A1	B	D	E	K	L	V	
MOLLEN ARMCHAIR	475	420	530	740–340	760	682	760	850	30
MOLLEN SOFA 2U	475	420	530	1565–1200	760	1463	760	1655	40
MOLLEN SOFA 3U	475	420	530	1965–1600	760	1863	760	2055	52

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

D – Seat width

E – Overall height

K – Base width

L – Overall depth

V – Overall width

1.2. Tables



MOLLEN TABLE SQR



MOLLEN TABLE RCR

2. Materials/Versions

2.1. Armchairs and sofas

2.1.1. Base

4 legs – made of $\varnothing 18 \times 2$ mm steel tube and $40 \times 15 \times 2$ mm profile, powder-coated.

2.1.2. Glides

Black plastic glides as standard or with felt as an option.

2.1.3. Shell and seat cushion

Shell:

- structure made of beech plywood, thickness 12 mm,
- flame-retardant injected foam, thickness 40–200 mm and density $55-80 \text{ kg/m}^3$ in front part, and flame retardant cut foam, thickness 10 mm and density 40 kg/m^3 in back part.

Seat cushion:

- structure made of beech plywood, thickness 10 mm,
- pocket springs,
- coir matting,
- fire-retardant cut foam, density 35 kg/m^3 and thickness 50 mm.

2.2. Tables

2.2.1. Table top

Dimensions for table tops:

- 600×600 mm soft square
- 900×400 mm soft rectangular

Finish options:

- melamine faced chipboard (MFC), thickness 18 mm, 2 mm edge in glue technology,
- Fenix NTM – top part of chipboard covered with Fenix NTM laminate, bottom part covered with antiresilient laminate in white colour, thickness 18 mm, 1 mm laser edge.

2.2.2. Base

4 legs – made of $\varnothing 18 \times 1,5$ mm steel tube as well as $40 \times 15 \times 2$ mm and $25 \times 15 \times 2$ mm profiles, powder-coated.

Height for tables:

- 350 mm,
- 450 mm.

3. Assembly and packaging

Assembled, cardboard packaging (PACK-ASM)
– 1 pc. per box.

4. Technical regulations, approvals and quality marks (pending)

Armchair and sofa

TÜV Safety Certificate – GS mark 110 kg – norm EN 16139

Table

TÜV Safety Certificate – GS mark – norm EN 15372

5. Rules of upholsteries matching

Upholstery type is the same for each upholstered element.

Upholstery colour may be different for shell and seat cushion.