

Tilkka



	Tilkka armchair with low backrest on four metal legs	Tilkka armchair with low backrest on metal X-sled frame	Tilkka armchair with low backrest on four wooden legs
	TILKKA ARMCHAIR 4L	TILKKA ARMCHAIR CFSX-ROD	TILKKA ARMCHAIR 4L LWM
Basic price (EUR) according to upholstery price group			
1	715	750	896
2	761	796	939
3	841	879	1022
4	858	896	1042
5	931	966	1109

C03	Frame				
E-③	Steel	Powder-coated	•	•	—
E-CR		Chromium plated	+ 25	+ 30	—
E-1.007	Solid wood	Natural beech	—	—	•
E-①		Stained beech			+ 20
E-2.D07		Natural oak			+ 73
C09	Backrest finish				
	Inner side	Outer side			
BA-⑤/⑥	Upholstered	Upholstered	•	•	•
C10	Seat finish				
	Top part	Bottom part			
SE-⑤/⑥	Upholstered in the colour of the inner side of the backrest	Upholstered in the colour of the outer side of the backrest	•	•	•
C14	Glides				
GT	Transparent glides for soft floors		•		—
GTF	Transparent glides with felt for hard floors		○		—
GB	Glides for soft floors		•		•
GBF	Glides with felt for hard floors		○		○
C19	Assembly				
PACK-ASM	Assembled, cardboard packaging		•	•	•
Sample order	TILKKA ARMCHAIR 4L (E-CR BA-CSE11/CSE19 SE-CSE11/CSE19 GBF PACK-ASM)				
	TILKKA ARMCHAIR 4L LWM (E-1.007 BA-CSE11/CSE19 SE-CSE11/CSE19 GBF PACK-ASM)				

- ① – Please specify wood colour code – [see finishes](#)
 ③ – Please specify metal elements finish – [see finishes](#)
 ⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)
 ⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)
 • Available as standard (included in basic price)
 ○ Available as an option (included in basic price)



	Tilkka 2-seater sofa on four metal legs	Tilkka 2-seater sofa on metal X-sled frame	Tilkka 2-seater sofa on four wooden legs
	TILKKA SOFA 4L	TILKKA SOFA CFSX-ROD	TILKKA SOFA 4L LWM
Basic price (EUR) according to upholstery price group			
1	1160	1217	1348
2	1217	1275	1403
3	1300	1358	1493
4	1378	1436	1566
5	1481	1539	1672

C03	Frame				
E-③	Steel	Powder-coated	●	●	—
E-CR		Chromium plated	+ 28	+ 38	
E-1.007	Solid wood	Natural beech	—	—	●
E-①		Stained beech			+ 25
E-2.D07		Natural oak			+ 85
C09	Backrest finish				
	Inner side	Outer side			
BA-⑤/⑥	Upholstered	Upholstered	●	●	●
C10	Seat finish				
	Top part	Bottom part			
SE-⑤/⑥	Upholstered in the colour of the inner side of the backrest	Upholstered in the colour of the outer side of the backrest	●	●	●
C14	Glides				
GT	Transparent glides for soft floors		—	●	—
GTF	Transparent glides with felt for hard floors		—	○	—
GB	Glides for soft floors		●	—	●
GBF	Glides with felt for hard floors		○	—	○
C19	Assembly				
PACK-ASM	Assembled, cardboard packaging		●	●	●
Sample order	TILKKA SOFA 4L (E-CR BA-CSE11 / CSE19 SE-CSE11 / CSE19 GBF PACK-ASM)				
	TILKKA SOFA 4L LWM (E-1.007 BA-CSE11 / CSE19 SE-CSE11 / CSE19 GBF PACK-ASM)				

- ① – Please specify wood colour code – [see finishes](#)
- ③ – Please specify metal elements finish – [see finishes](#)
- ⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)
- ⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)
- Available as standard (included in basic price)
- Available as an option (included in basic price)

		
Tilkka table MINI	Tilkka table lounge 35	Tilkka table lounge 45
TILKKA TABLE MINI	TILKKA TABLE LOUNGE 35	TILKKA TABLE LOUNGE 45

DI•••	Table top diameter (mm)	380	800	600
H•••	Table top height (mm)	545	350	450
		Basic price (EUR) according to table top finish		
	Melamine (MFC)	389	462	422
	Linoleum			
	Fenix NTM®			

		Table top finish			
①	Melamine (MFC)	2 mm – in glue technology (matching table top colour)			
	Linoleum	Edge: no edge (plywood structure visible)	•	•	•
	Fenix NTM®	no edge (plywood structure visible)			
		Table top thickness			
TT-12	12 mm	•	–	–	
TT-18	18 mm	○	•	•	
		Base			
BC-③	Steel	Powder-coated	•	•	•
BC-CR		Chromium plated	+ 18	+ 30	+ 30
		Glides			
GT	Plastic, transparent	•	•	•	
		Assembly			
PACK-ASM	Assembled, cardboard packaging	•	•	•	
Sample order	TILKKA TABLE MINI (DI380 H545 KJ TT-12 BC-CR GT PACK-ASM)				

① – Please specify table top colour code – [see finishes](#)

③ – Please specify metal elements finish – [see finishes](#)

• Available as standard (included in basic price)

○ Available as an option (included in basic price)



Tilkka table

Tilkka table cocktail

TILKKA TABLE

TILKKA TABLE COCKTAIL

DI600	Table top diameter (mm)		600	600	
H••••	Table top height (mm)		740	1050	
		Basic price (EUR) according to table top finish			
	Melamine (MFC)		437	454	
	Linoleum				
	Fenix NTM®				
	Table top finish				
①	Melamine (MFC)	Edge: 2 mm – in glue technology (matching table top colour)	•	•	
	Linoleum				no edge (plywood structure visible)
	Fenix NTM®				no edge (plywood structure visible)
	Table top thickness				
TT-18	18 mm		•	•	
	Base				
BC-③	Steel	Powder-coated	•	•	
BC-CR		Chromium plated	+ 40	+ 40	
	Glides				
GT	Plastic, transparent		•	•	
	Assembly				
PACK-ASM	Assembled, cardboard packaging		•	•	
Sample order	TILKKA TABLE (DI600 H740 KJ TT-18 BC-CR GT PACK-ASM)				

① – Please specify table top colour code – see finishes


③ – Please specify metal elements finish – see finishes

• Available as standard (included in basic price)


Technical description

1. Dimensions / Weight


1.1. Armchairs




TILKKA ARMCHAIR 4L



TILKKA ARMCHAIR CFSX-ROD



TILKKA ARMCHAIR 4L LWM




Model	Dimensions (mm)											Weight (kg)
	A	A1	B	C	D	E	F	G	K	V	L	
TILKKA ARMCHAIR 4L	420	385	570	480	680	765	490	380	655	680	720	11,2
TILKKA ARMCHAIR CFSX-ROD	420	385	570	480	680	765	490	380	648	680	720	12,8
TILKKA ARMCHAIR 4L LWM	420	385	570	480	680	765	490	380	585	680	720	14,1

- A** – Seat height
A1 – Seat height according to standard EN PN-EN 16139
B – Seat depth
C – Seat surface depth


- D** – Seat width
E – Overall height
F – Backrest width
G – Backrest length
K – Base width

- V** – Overall width
L – Overall depth


1.2. Sofas




TILKKA 2-SEATER SOFA 4L



TILKKA 2-SEATER SOFA CFSX-ROD



TILKKA 2-SEATER SOFA 4L LWM



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
TILKKA 2-SEATER SOFA 4L	420	385	570	480	1180	765	990	380	1085	1180	720	23,6	22,3
TILKKA 2-SEATER SOFA CFSX-ROD	420	385	570	480	1180	765	990	380	1085	1180	720	25,1	20,7
TILKKA 2-SEATER SOFA 4L LWM	420	385	570	480	1180	765	990	380	1085	1180	720	26,2	19,8

- A** – Seat height
A1 – Seat height according to standard EN PN-EN 16139
B – Seat depth
C – Seat surface depth


- D** – Seat width
E – Overall height
F – Backrest width
G – Backrest length
K – Base width

- V** – Overall width
L – Overall depth


1.3. Table




TILKKA TABLE MINI




TILKKA TABLE LOUNGE 35



TILKKA TABLE LOUNGE 45



TILKKA TABLE



TILKKA TABLE COCKTAIL

2. Materials / Versions

2.1. Armchairs and sofas

2.1.1. Base / Frame

4-leg frame – made of steel tube $\varnothing 20 \times 2$ mm.

X-sled frame – made of rod $\varnothing 12$ mm.

Finish options:

- powder-coated E-③,
- chromium plated (E-CR).

4-leg wooden frame – legs made of solid beech or oak wood, fixing frame made of steel sheet, powder-coated in Jet Black colour RAL 9005.

Finish options:

- natural beech (E-1.007),
- stained beech (E-2.*** or S**),
- natural oak (E-2.D07).

2.1.2. Glides

4-leg – black glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option.

Sled frame – transparent glides for soft floors (GT) as standard or with felt for hard floors (GTF) as an option.

4-leg wooden – black glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option.

2.1.3. Seat and backrest

Upholstered backrest:

- Structure of backrest inner part is made of 7-layer beech plywood, thickness 10,5 mm, covered with flame retardant cut foam, thickness 30–45 mm and density $50 \text{ kg} / \text{m}^3$ (front).
- Structure of backrest outer part is made of 3-layer beech plywood, thickness 4,5 mm, covered with flame retardant cut foam, thickness 10 mm and density $35 \text{ kg} / \text{m}^3$ (back).

Upholstered seat:

- Structure of seat upper part is made of 8-layer beech plywood, thickness 12 mm, covered with

two layers of flame retardant cut foam: density $35 \text{ kg} / \text{m}^3$, thickness 20 mm and foam with density $40 \text{ kg} / \text{m}^3$, thickness 20 mm,
– Structure of seat bottom part is made of 3-layer beech plywood, thickness 4,5 mm, covered with flame retardant cut foam, thickness 10 mm and density $35 \text{ kg} / \text{m}^3$.

2.2 Tables

Models:

Tilkka table MINI – $\varnothing 380$ mm round table top, height 545 mm

Tilkka table lounge 35 – $\varnothing 800$ mm round table top, height 350 mm

Tilkka table lounge 45 – $\varnothing 600$ mm round table top, height 450 mm

Tilkka table – $\varnothing 600$ mm round table top, height 740 mm

Tilkka table cocktail – $\varnothing 600$ mm round table top, height 1050 mm

2.2.1. Table top

Finish options for model Tilkka table MINI:

- melamine faced chipboard (MFC), thickness 12 mm as standard or 18 mm as an option, 2 mm edge in glue technology,
- linoleum – top part of beech plywood covered with natural linoleum, bottom part covered with antiresilient laminate in white colour, thickness 12 mm as standard or 18 mm as an option, edges protected with wax, visible plywood structure,
- Fenix NTM – top part of beech plywood covered with Fenix NTM laminate, bottom part covered with antiresilient laminate in white colour, thickness 12 mm as standard or 18 mm as an option, edges protected with wax, visible plywood structure.

Finish options for the remaining models:

- melamine faced chipboard (MFC), thickness 18 mm, 2 mm edge in glue technology,
- linoleum – top part of beech plywood covered with natural linoleum, bottom part covered with antiresilient laminate in white colour, thickness 18 mm, edges protected with wax, visible plywood structure,
- Fenix NTM – top part of beech plywood covered with Fenix NTM laminate, bottom part covered with antiresilient laminate in grey colour, thickness 18 mm, edges protected with wax, visible plywood structure.

2.2.2. Base / Frame

X-sled frame – made of $\varnothing 12$ mm rod, transparent plastic glides.

Finish options:

- powder-coated E-③,
- chromium plated (E-CR).

3. Assembly and packaging

Armchair, sofa, table

Assembled, cardboard packaging (PACK-ASM) – 1 pc. per box.

4. Technical regulations, approvals and quality marks (for selected product configurations)

REMDEX test report – 110 kg – norm EN 16139

REMDEX test report – norm EN 15372

5. Rules of upholsteries matching

Upholstery type is the same for each upholstered element.

Upholstery colour may be different for backrest inner part and seat upper part (one colour) and for backrest outer part and seat bottom part (one colour).