Wing II

NowyStyl

PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)
		Wood
WING II	Conference chair on 4-leg frame powder-coated in Jet Black RAL 9005 colour (BL), wooden shell (1.007), glides for soft floors (GB).	208
WING II CFS	Conference chair on sled frame powder-coated in Jet Black RAL 9005 colour (BL), wooden shell (1.007), glides for soft floors (GB).	206
Wing II CFL	Conference chair on cantilever frame powder-coated in Jet Black RAL 9005 colour (BL), wooden shell, glides for soft floors (GB).	248
WING II.20	4-leg conference frame chair, shell made of 8-layer plywood (1.007), backrest with integrated grip hole, base powder-coated in Jet Black RAL 9005 (BL), stackable up to 4 pieces. Glides for soft floors (GB).	218
WING II TR	Conference chair on 4-leg frame powder-coated in Jet Black RAL 9005 colour (BL), closed integrated armrest with wooden pad (NF-1.007), right hand wooden writing tablet (TR-1.007), wooden shell, glides for soft floors (GB).	281
WING II W	Conference chair on 4-leg frame powder-coated in Jet Black RAL 9005 colour (BL), closed integrated armrests with wooden pads (NF-xx*), wooden shell, glides for soft floors (GB).	271

^{*}Please specify colour code of wood – see finishes

Wing II

OPTIONS – CONFERENCE CHAIR

Options	Code	Surcharge							
		Upholstery price group							
		0	1	2	3	4	5		
Wooden shell with upholstered seat pad	SEAT PLUS	25	28	33	38	45	60		
Wooden shell with upholstered seat pad and backrest pad (not applicable to Wing II 20)	PLUS	40	45	55	68	78	105		
Writing tablet for left-hand users (dedicated to WING II TR version) made of beech wood stained in colour	TL-xxxx*	15							
Shell or shell and armpads made of beech wood stained in colour	хххх*	25							
Laminated wooden shell (applicable to WING II, WING II CFS, WING II CFL, WING II 20, WING II W)	LAMINATE**	35							
Laminated wooden shell, armpads and writing tablet top (applicable to WING II TR/TL)	LAMINATE**	45							
4-leg frame chromium plated (WING II 4L)	4L-CR	18							
4-leg frame chromium plated with integrated armrest and writing tablet (WING II TR)	CR	20							
4-leg frame chromium plated with integrated armrests (WING II W)	CR	20							
Sled frame chromium plated (WING II CFS)	CFS-CR	28							
Frame powder-coated in White Aluminium RAL 9006, Traffic White RAL 9016, Vermilion Red RAL 030 50 40, Ochre Yellow RAL 1024, Cashmere NCS S 2005-Y60R, Violet Blue RAL 5000, Olive Green RAL 6003	ALU/WT/VR/ OY/NK/VB/OG	0							
Cantilever frame chromium plated (WING II CFL)	CFL-CR	45							
Link integrated with frame for connecting chairs into rows (dedicated for WING II 4L and WING II W)	CLICK-J4	63							
Link integrated with frame for connecting chairs into rows (WING II 4L)	CLICK	18							
Glides with felt for hard floors	GBF	20							

^{*} Please specify colour code of wood – $\underline{\text{see finishes}}$

PRICE LIST - ACCESSORIES

Model	Description		
UNIVERSAL ROW CONNECTOR	Row distance adjustment (450–510 mm) for Wing 4-leg versions. Possible mounting to the floor. The connector is powder-coated in Jet Black RAL 9005 (BL) colour.	95	
WING CART	Cart dedicated to stack and transport 24 pcs of Wing 4-leg chairs (2 × 12 pcs back to back piles). Cart powder-coated in White Aluminium RAL 9006 (ALU) or Jet Black RAL 9005 (BL) colour.		
UNIVERSAL CHAIR CART	Cart dedicated to stack and transport Wing chairs. Cart powder-coated in White Aluminium RAL 9006 (ALU) or Jet Black RAL 9005 (BL) colour.	329	

PRICE GROUP 0: Basic, Micro, Imitation leather
PRICE GROUP 1: Bondai, Era, Lucia, Oban, Oflum, Sempre/Sempre Melange
PRICE GROUP 2: Cura, Rivet, Valencia, Xtreme

PRICE GROUP 3: Silvertex, Split Letaher (SP), Step/Step Melange PRICE GROUP 4: Blazer, Main Line Flax, skai Parotega, Synergy PRICE GROUP 5: Remix 3

^{**} Please specify colour code of laminate – $\underline{\text{see finishes}}$

1. Dimensions / Weight








WING II CLICK



WING II CFS



WING II CFL







WING II.20 CLICK



WING II W




WING II TR



WING II.20

WING II W CLICK-J4



UNIVERSAL ROW CONNECTOR weight: 0.95 kg

Measuring standard on page 3	Dimensions (mm)									Weight (kg)			
Model	A	A1	В	С	D	E	F	G	н	К	v	L	
WING II 4L	450	438	410	410	420	850	400	435	_	500	500	550	5.9
WING II PLUS 4L	460	445	410	410	420	850	400	435	_	500	500	550	6.3
WING II SEAT PLUS 4L	460	445	410	410	420	850	400	435	_	500	500	550	6.1
WING II CLICK 4L	450	438	410	410	420	850	400	435	_	500	520	550	6
WING II CLICK PLUS 4L	460	445	410	410	420	850	400	435	_	500	520	550	6.4
WING II CLICK SEAT PLUS 4L	460	445	410	410	420	850	400	435	_	500	520	550	6.2
WING II CFS	465	453	410	410	420	865	400	435	_	540	540	605	6.9
WING II CFS PLUS	475	460	410	410	420	865	400	435	_	540	540	605	7.3
WING II CFS SEAT PLUS	475	460	410	410	420	865	400	435	_	540	540	605	7.1
WING II W NF 4L	450	438	410	410	420	850	400	435	630	500	525	550	6.6
WING II W NF PLUS 4L	460	445	410	410	420	850	400	435	630	500	525	550	7
WING II W NF SEAT PLUS 4L	460	445	410	410	420	850	400	435	630	500	525	550	6.8
WING II W CLICK-J4 NF 4L	450	438	410	410	420	850	400	435	630	500	525	550	6.75
WING II W CLICK-J4 NF PLUS 4L	460	445	410	410	420	850	400	435	630	500	525	550	7.15
WING II W CLICK-J4 NF SEAT PLUS 4L	460	445	410	410	420	850	400	435	630	500	525	550	6.95
WING II TR/TL 4L	450	435	410	410	420	850	400	435	630	500	550	705	6.9
WING II TR/TL PLUS 4L	460	445	410	410	420	850	400	435	630	500	550	705	7.3
WING II TR/TL SEAT PLUS 4L	460	445	410	410	420	850	400	435	630	500	550	705	7.1

A - Seat height

A1 – Seat height according to standard

EN 16139 B - Seat depth

C - Seat surface depth

D - Seat width

E - Overall height

F - Backrest width G - Backrest length

H - Armrests height

K - Base width

- Overall width

L - Overall depth

NowyStyl

2. Materials / Versions

2.1. Frame

2.1.1. Frame

 $\underline{\text{4-leg frame}}$ – made of Ø 20 × 2.0 mm steel tube and Ø 6 mm steel bar.

<u>CFS sled frame</u> – made of Ø 16 × 2.0 mm steel tube and Ø 18 × 1.5, Ø 5 mm steel bar. <u>CFL cantilever frame</u> – made of Ø 22 × 2.5 mm steel tube and 25 × 4.0 mm flat bar. Finish options

- chromium plated (CR),
- powder-coated in White Aluminium RAL 9006 (ALU),
- powder-coated in Traffic White RAL 9016 (WT),
- powder-coated in Jet Black RAL 9005 (BL),
- powder-coated in Vermilion Red RAL 030 50 40 (VR),
- powder-coated in Ochre Yellow RAL 1024 (OY).
- powder-coated in Cashmere NCS S 2005-Y60R (NK),
- powder-coated in Violet Blue RAL 5000 (VB),
- powder-coated in Olive Green RAL 6003 (OG).
 Stacking:

4L – 8 pieces,

CFS, CFL - 10 pieces.

Wing cart and Universal chair cart available.

2.1.2. Click/link

<u>CLICK</u> – \emptyset 6 mm steel rod integrated with the frame to connect Wing II 4L into rows. <u>CLICK-J4</u> – \emptyset 6 mm steel rod integrated with the frame to connect Wing II 4L and WING II W 4L into rows.

UNIVERSAL ROW CONNECTOR

- dedicated to connect opposite rows of chairs,
- distance adjustment: 450-510 mm,
- possibility of mounting to the floor,
- powder-coated in Jet Black RAL 9005 (BL).

2.2. Glide

Glides for soft floors (GB) as standard or hard floors (GBF) as an option.

2.3. Seat and backrest

Wooden shell (WOOD) – made of 8-layer beech plywood, thickness 10.5 mm.

Laminated wooden shell (LAMINATE) – made of 8-layer beech plywood, thickness 10.5 mm. Visible plywood edges protected with wax. Wooden shell with upholstered pad on seat (SEAT-PLUS) – the structure of seat pad is made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 15 mm, density 25 kg/m³.

Wooden shell with upholstered seat pad and backrest pad (PLUS) – seat and backrest pad structure made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 15 mm, density 25 kg/m³.

2.4. Armrests

<u>Fixed armrest</u> – integrated with chair frame (WING II W), armrest pads (50 × 180 mm) made of plywood, thickness 17 mm. Finish options:

- stained (NF-xx),
- laminated.

Technical description

2.5. Writing tablet

Writing tablet (right and left hand version) made of 8-layer beech plywood, thickness 10.5 mm. Tablet top dimensions: 355 × 283 mm. Finish options:

- natural beech plywood,
- stained beech plywood,
- laminated plywood, visible plywood edges protected with wax.

3. Accessories

Cart dimensions:

650 mm x 1720 mm x 840 mm (height)

4. Packaging

4 pcs per box (assembled chair).

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

REMODEX – durability certificate: EN 16139, EN 1728, EN 1022

Proven Safety Certificate GS.

FEMB Level Standard Certificate (LEVEL 3).

^{*} Dimensions measured under load in accordance with the EN standard.